

Serial No. 10/607,012 ARL 03-02 Interview with Examiner and Amendment


Amendments To The Claims:

This listing of claims will replace all prior versions, and listings of the claims:

Listing of Claims:

1. (Previously Presented) A water-insoluble interpenetrating polymer network comprising:

a first polymer derived from a monomer having the general structure



where R^1 is independently in each occurrence H, $\text{C}_1\text{-C}_4$ alkyl, $\text{C}_1\text{-C}_4$ hydroxy alkyl, Cl or Br; Z is a nullity, O, $\text{C}(\text{O})\text{NR}^3$ or $\text{C}(\text{O})$; R^2 is independently in each occurrence H, $\text{C}_1\text{-C}_4$ alkyl, $\text{C}_1\text{-C}_4$ hydroxy alkyl, $\text{C}_0\text{-C}_4 \text{SO}_3\text{M}$ or $\text{C}_0\text{-C}_4 \text{PO}_2\text{H}_2$; R^3 is H, $\text{C}_1\text{-C}_4$ alkyl, $\text{C}_1\text{-C}_4$ hydroxy alkyl, where M is H, Li, Na, K, Zn, Mg, Ca, Ba, Sr, Cs and Al; n is an integer from 1 to 5, inclusive, with the proviso that adjacent carbon atoms lack sulfonic and/or phosphonic acid groups and at least one sulfonic acid or phosphonic acid group is present in the structure;

a second monomer copolymerized with said monomer to impart water insolubility to said first polymer; and

a second polymer polymerized independently of said first polymer and interpenetrating said first polymer wherein said second polymer is more permeable to water than methanol.

2. (Original) The interpenetrating polymer network of claim 1 wherein said monomer has a sulfonic acid group.

3. (Original) The interpenetrating polymer network of claim 1 wherein Z is $\text{C}(\text{O})\text{NR}^3$.

Serial No. 10/607,012 ARL 03-02 Interview with Examiner and Amendment

4. (Original) The interpenetrating polymer network of claim 1 wherein said monomer has only a single sulfonic acid or phosphonic acid group.

5. (Original) The interpenetrating polymer network of claim 1 wherein said monomer is selected from a group consisting of: 2-acrylamido-2-methyl propane sulfonic acid, acryl ethane sulfonic acid, methacryl ethane phosphonic acid, 2-methacrylamido-N-ethyl sulfonic acid, and methacryl-2-hydroxyethane sulfonic acid.

6. (Original) The interpenetrating polymer network of claim 1 wherein said monomer is 2-acrylamido-2-methyl propane sulfonic acid.

7. (Original) The interpenetrating polymer network of claim 1 wherein said first polymer is present from 2 to 40 total weight percent.

8. (Canceled)

9. (Currently Amended) The interpenetrating polymer network of claim 1 wherein said second monomer is selected from a group consisting of: 2-hydroxy ethyl methacrylate, hydroxypropyl methacrylate, 4-hydroxybutyl methacrylate, 2-hydroxyethyl acrylate, 2-hydroxypropyl acrylate, methyl methacrylate, N-t-butylacrylamide, N,N'-dimethylacrylamide, (vinyl)sulfonic acid, styrene, and styrenesulfonic acid, ~~as well as many other acrylamides, acrylates, hydroxyalkyl acrylates and methacrylates.~~

Serial No. 10/607,012 ARL 03-02 Interview with Examiner and Amendment

10. (Previously Presented) The interpenetrating polymer network of claim 1 wherein said second monomer is present from 20 to 75 total weight percent.

11. (Previously Presented) The interpenetrating polymer network of claim 1 wherein said monomer is present at a lesser weight percent than said second monomer.

12. (Previously Presented) The interpenetrating polymer network of claim 1 further comprising a cross-linking agent.

13. (Previously Presented) The interpenetrating polymer network according to claim 1 further comprising a polymerization initiator.

14. (Currently Amended) The interpenetrating polymer network of claim 12 wherein said cross-linking agent is selected from a group consisting of: ethylene glycol dimethacrylate (EGDM), ethylene glycol diacrylate, tetraethylene glycol diacrylate, tetraethylene glycol dimethacrylate, poly(ethylene glycol) diacrylate, poly(ethylene glycol) monomethacrylate, propylene glycol diglycidyl ether, N, N'-methylene-bis-acrylamide, and 3,3-tetramethylcyclohexanedicarboxylic acid.

15. (Original) The interpenetrating polymer network of claim 1 wherein said second polymer is polyvinyl alcohol.

Serial No. 10/607,012 ARL 03-02 Interview with Examiner and Amendment

16. (Original) The interpenetrating polymer network of claim 15 further comprising a condensation reaction cross-linking agent.

17. (Original) The interpenetrating polymer network of claim 16 wherein said polyvinyl alcohol is uniformly cross-linked.

18. (Original) The interpenetrating polymer network of claim 16 wherein a cross-link density gradient exists within said polyvinyl alcohol.

19. (Original) The interpenetrating polymer network of claim 1 further comprising a filler selected from the group consisting of: inorganic salt hydrates, silica particulate, metal sols, metal nanocrystals, and semiconductor nanocrystals.

20. (Original) A film produced from an interpenetrating polymer network of claim 1.

21. (Original) The film of claim 20 having proton conductivity and greater permeability to water than methanol.


22. (Previously Presented) The film of claim 20 having a first surface in contact with an adherent selected from the group consisting of: a catalyst, a specific binding moiety for a target analyte, and a recognition moiety for a target analyte.

23-28 (Canceled)

Serial No. 10/607,012 ARL 03-02 Interview with Examiner and Amendment

29. (Previously Presented) A water-insoluble interpenetrating polymer network comprising:

a first polymer derived from a monomer having the general structure



where R^1 is independently in each occurrence H, C_1 - C_4 alkyl, C_1 - C_4 hydroxy alkyl, Cl or Br; Z is a nullity, O, $\text{C}(\text{O})\text{NR}^3$ or $\text{C}(\text{O})$; R^2 is independently in each occurrence H, C_1 - C_4 alkyl, C_1 - C_4 hydroxy alkyl, C_0 - C_4 SO_3M or C_0 - C_4 PO_2H_2 ; R^3 is H, C_1 - C_4 alkyl, C_1 - C_4 hydroxy alkyl, where M is H, Li, Na, K, Zn, Mg, Ca, Ba, Sr, Cs and Al; n is an integer from 1 to 5, inclusive, with the proviso that adjacent carbon atoms lack sulfonic and/or phosphonic acid groups and at least one sulfonic acid or phosphonic acid group is present in the structure; and

a second polymer polymerized independently of said first polymer and interpenetrating said first polymer wherein said second polymer is more permeable to water than methanol;

wherein said first polymer is present from 2 to 40 total weight percent.

30. (Previously Presented) The interpenetrating polymer network of claim 29 wherein said monomer has only a single sulfonic acid or phosphonic acid group.

31. (Previously Presented) The interpenetrating polymer network of claim 29 wherein said monomer is selected from a group consisting of: 2-acrylamido-2-methyl propane sulfonic acid, acryl ethane sulfonic acid, methacryl ethane phosphonic acid, 2-methacrylamido-N-ethyl sulfonic acid, and methacryl-2-hydroxyethane sulfonic acid.

Serial No. 10/607,012 ARL 03-02 Interview with Examiner and Amendment

32. (Previously Presented) The interpenetrating polymer network of claim 29 wherein said second polymer is polyvinyl alcohol.

33. (Previously Presented) The interpenetrating polymer network of claim 32 further comprising a condensation reaction cross-linking agent.

34. (Previously Presented) The interpenetrating polymer network of claim 29 further comprising a filler selected from the group consisting of: inorganic salt hydrates, silica particulate, metal sols, metal nanocrystals, and semiconductor nanocrystals.